

Research to Applications: Addressing Natural Resource and Human Health Hazards on the Coast

Susan White, Ph.D.

Director, Hollings Marine Laboratory & NOAA Center of
Excellence in Oceans and Human Health
National Centers for Coastal Ocean Science
National Ocean Service





Presentation Overview

- NCCOS: Who we are and what we do
- Example Research Efforts Addressing Natural Resource and Human Health Hazards on the Coast

Partnership Opportunities



NCCOS: Who we are


- NCCOS is the primary coastal science organization supporting NOAA's Ocean Service
- We focus on applied research to translate complex scientific data into useful information for coastal managers
- We have diverse expertise that integrate multiple disciplines to answer relevant management questions
- We have the capability to address problems at multiple spatial scales: national – regional – state
- We are product and customer focused





- Created in 1999 as the focal point for NOAA's coastal ocean science
- Five Centers including two satellite labs + extramural research
- Oceans and Human Health Initiative (OHHI) added in 2011





NOAA'S Oceans and Human Health Initiative







Research Priorities

- Science to reduce POLLUTION for improved coastal and ocean health
- Science to manage threats of HARMFUL ALGAL BLOOMS
- Model and predict CLIMATE CHANGE IMPACTS to coastal ecosystems
- Science to support COASTAL AND MARINE SPATIAL PLANNING







 Land Use Changes and the Coast: Sentinels of Environmental and Human Health

 Deepwater Horizon Response and Research

Climate Change Impacts

NORA

Urbanization in Coastal Ecosystems

- Globally > 55% of the world's population lives within 50 miles of the coast
- Half of the US population reside within 50 miles of the coast, which occupies less than 11% of the land area of the lower 48 states
- Greatest rate of population change has been in the southeastern US (58% increase) followed by the Pacific (46%) & Gulf of Mexico (45%)











Impacts of Coastal Development on Marine Ecosystems and Human Health

This influx of people into the coastal zone has:



Altered hydrography & increased flooding


Contaminated seafood & beaches



Impaired ecosystems (e.g. eutrophication, hypoxia)

NORR

Sentinel Habitats





Tidal creeks and associated salt marsh = 50-65% of Southeastern estuarine area


Coastal Ocean




Sentinel Habitats










Sentinel Habitats: Land Use Impacts Coastal Health

- Extensive sampling in coastal southeast and Gulf of Mexico creeks shows link between pollution and land use (level of impervious cover), and supports use of tidal creeks as sentinel habitats.
- Framework to predict impact of coastal development on estuarine system will be a decision-support tool for coastal zone managers and land use planners.







Sentinel Species











Sentinel Species



Independent studies for stock assessment, Unusual Mortality Events (UME) investigation, health assessments



Study Site: Georgia Coast, U.S.










Sentinel Species

- Record high levels of PCBs in dolphins from Brunswick estuaries
- High PCBs with similar congener pattern in dolphins from Sapelo Island NERR
- Suggest contaminants being dispersed through coastal food web
- Significant health impacts (endocrine, immune) associated with PCB exposures





What does this mean for human health?

- Additional studies underway
 - Analysis of PCBs in prey
 - Pilot study with CDC/NCEH to examine commonality in coastal dolphin & human exposures










National Environmental Public Health Tracking System












National Status and Trends Program

National Status & Trends


Mussel Watch & Bioeffects Programs

- ⇒ 280 sites nationwide monitored annually for 120 contaminants: legacy contaminants and contaminants of emerging concern (CECs)
- Nation's longest running coastal contaminant monitoring program (26 years)
- Comprehensive assessments of environmental contamination, toxicity, and biological community condition in bays and estuaries






Sentinels: Mussel Watch data used for hazard or spill response



NATIONAL OCEAN SERVICE

Sentinels: Mussel Watch Data: : Post Hurricane Katrina PCB Levels





The Deepwater Horizon Disaster



NOAA's roles include:

Response

Assessment

Communication

Mitigation

Restoration



Marine Animal Health Response Assessments

Natural Resource
 Damage
 Assessment and
 Restoration
 Activities

 Dolphin health assessments



NOAR

Health and Well-being in Coastal Counties: Impact and Resiliency in the Wake of the Deepwater Horizon Industrial-Environmental Disaster

✓ Enhance management and conservation practices to reduce impacts from contaminants

✓ Determine changes in human health and well-being due to impacts of pollution


on environmental health and ecosystem services Bainbridge Santa Rosa Mobile Baldwin Escambia Harrison TALLAHASSEI Indicators of Community Well-being Workshop: **Gulf Of Mexico** TOWH Wellhead Analyze Literature review Assess the well-being of sample counties Expert Indicator over time Workshop Indicator selection 3/2011 Identify changes in Operationalize well-being associated indicators with with changes in measures environmental Collect data conditions Develop Inform



Climate Change Impacts

Climate change models predict increases in **frequency** and **intensity** of heavy precipitation events

Develop models to predict response of marshes to SLR and anthropogenic impacts



http://www.globalchange.gov/publications/reports/scientific-assessments/us-impacts/full-report/national-climate-change Accessed 5/24/2010




Modeling impact of changing precipitation patterns on stormwater runoff

PQuantifying stormwater runoff within a context of climate change and variability scenarios leads to better-informed decisions related to minimizing impacts at local scales.

Modeling system provides tools for use by research scientists, coastal managers, educators, and outreach professionals.

Climate scenario based on predictions of increased frequency and intensity of heavy rains shows relative impact on runoff in three watersheds.



24-hr 4.5-in storm event, normal runoff conditions Climate impact – 12-hr 5.2-in storm event, semi-wet conditions





Climate Change Impacts: Sea Level Rise

Integrating storm surge and ecological models for more precise predictions of how future sea level will affect coastal wetlands, submerged aquatic vegetation, subtidal habitat and oyster reefs.

Examining ecological and socioeconomic costs and benefits of shoreline erosion and protection alternatives.

Assessing efficacy of shoreline stabilization and developing shoreline protection plans.





Partnership opportunities

- User's awareness in exploring environmental health/human health hazards and response preparedness
- Engagement
 - Matching user requirements to NCCOS capabilities
 - Jointly developing workplan focused on deliverables
 - Ensuring products meet user requirements and user needs
- Regional coordination economies of scale



